

Technical data sheet

Trunking socket BRK, single

Item number: 6121004



Single Signa In trunking socket with increased touch protection, incl. panel (a maximum of 4 trunking sockets can be connected through plug combinations) 16 A/250 V~.

Master data

Item number	6121004
Type	BRK 1STD rws
Description 1	Socket
Description 2	SIGNA IN single RAL9010
Manufacturer	OBO
Dimension	74x82x71
Colour	Pure white; RAL 9010
Smallest sales unit	1
Unit of quantity	Piece
Weight	10.1 kg
Weight unit	kg/100 pc.


Technical data sheet

Trunking socket BRK, single

Item number: 6121004



Dimensions



Width	74 mm
Height	82 mm

Technical data

Cover	Complete housing
Closable	no
Connection type	Screwless terminal
Number of units	1
Number of modules (for modular construction)	1
Number of switchable sockets	1
Printed label/coding	Without printing
Surface version	Matt
Version for	SCHUKO
Ejection mechanism	no
Fastening type	Miscellaneous
Labelling panel	no
Error current protection	no
For more difficult conditions (according to VDE)	no
Halogen-free	yes
Insulated installation	yes
Hinged cover	no
Coding	no
With on/off switch	no
With functional lighting	no
With orientation lighting	no

Technical data sheet

Trunking socket BRK, single

Item number: 6121004



Technical data

Mounting type	Device installation duct
Nominal voltage	250 V
Nominal current	16 A
Protection rating	IP20
Special power supply	Without special power supply
Socket angle	0°
Transparent	no
Rotated central insert	no
Surge protection	no